Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(set\$5 with print\$5 near2 featur\$5 with default\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:03
		(default\$4 with print\$ adj1 setting\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:07
		(driver\$5 adj2 automatic\$5 "adj4." select\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR <sub>.</sub>	ON	2006/03/16 15:55
Ł1	163	(default\$4 with print\$3 adj1 setting\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:39
L2	64	(default\$4 adj3 print\$3 adj1 setting\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:51
L3	18	(automatic\$5 adj4 select\$5 with other\$2) same print\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:54
L4	2	("6765685").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 13:52
L5	0	(print\$5 adj2 driver\$2 adj4 select\$5 with default\$ near2 featur\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 13:53

L6	23	(print\$5 adj2 driver\$2 adj4 select\$5 with default\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:16
L7	0	(add\$2 adj1 featur\$2 with default\$5) with print\$5 adj2 driver\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:17
L8	0	(add\$2 adj1 featur\$2 with default\$5) with print\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:17
L9	1	(add\$2 adj4 featur\$2 with default\$5) with print\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:21
L10	3	(default\$5 adj2 print\$5 adj2 featur\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:21
L11	4	(default\$5 near4 print\$5 adj2 featur\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:28
L12	1	(print\$5 adj2 mode\$2 with default\$5 adj1 featur\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:00
L13	16	(print\$6 with watermark\$5 with default\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/17 14:29

L14	0	(print\$5 adj2 mode\$2 with selected adj1 featur\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:00
L15	145	(print\$5 with selected adj1 featur\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:00
L16	70	15 and @rlad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:33
L17	5	(set\$3 with print\$5 near2 featur\$5 with default\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:05
L18	12	((program\$5 select\$5) with print\$5 near2 featur\$5 with default\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:32
L19	0	(watermark\$5 with default\$5 near2 message\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:33
L20	74	(watermark\$5 with default\$5 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:33
L21	23	20 and @rlad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	ON	2006/03/17 17:02

L22	62	(watermark\$5 adj1 setting\$5 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:34
L23	15	22 and @rlad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:56
L24	2	(transparenc\$5 with prohibit\$5 with double\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:02
L25	38	(transparenc\$5 with prevent\$5 with double\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:02
L26 .	5	25 and @rlad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:02
L27	9	(transparenc\$5 same prohibit\$5 same double\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:03
L28	0	27 and @rlad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:02
L29	26	(prohibit\$5 with double\$2 adj1 side\$2 with print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:04

		<u> </u>	<del></del>	1	1	
L30	15	(transparenc\$5 with double\$2 adj1 side\$2 with print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:04
S1	2	("6301013").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 11:23
S2	2	("6693720").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 19:56
S3		("20010017704").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 11:29
S4	2	ep-942355-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/16 13:10
S5	12	"5689626"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/16 11:34
S6	15	"5133919"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:20
S7	113	(print\$5 adj2 driver\$5 with watermark\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:24

S8	29	S7 and @rlad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:00
S9	27	(stencil\$5 with secret\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:50
S10	2	JP-11034464-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:49
S11	<b>.</b>	(print\$5 adj2 driver\$5 with secret\$5 adj2 operation\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:54
S12	45	(stencil\$5 same secret\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:54
S13	18	S12 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:54
S14	0	S13 and @rlad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:54
S15	1	S13 and @ad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:15

Г	-			1		
S16	3341	(stencil\$5 with (prohibit\$5 prevent\$5 protect\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:55
S17	2	("6125748").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/16 13:10
S18	3	("6181436").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:08
S19	2	("6765685").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:09
S20	2	("20050141008").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:09
S21	2	("6301013").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:10
522	444	(driver\$5 adj2 automatic\$5 with select\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:55
S23	1	(driver\$5 adj2 automatic\$5 with select\$5) with secret\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/16 15:16

				т		
S24	211	S22 and @ad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:02
S25	1	(print\$5 adj1 driver\$5 adj2 automatic\$5 with select\$5) with secret\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:59
S26	124	(driver\$5 adj2 automatic\$5 adj4 select\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:55
S27	71	S26 and @ad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S28	0	(re adj1 transmit\$5 re adj1 transmission\$5) with fail\$5 adj1 fax\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:33
S29	2	("6693720").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 18:51
S30	2	("6327051").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 18:58
S31	11	(print\$5 adj1 driver\$5 with automatic\$5 with select\$5) with default\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/16 19:01

C22	-		110 000:10	00	011	2006/02/46 42 55
S32	21	(automatic\$5 with select\$5 with related\$2 adj1 featur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:02
S33	13	default\$5 with print\$5 adj1 featur\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S34	44	(print\$5 adj1 driver\$2 with default\$5 adj1 setting\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S35	7	S34 and @ad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:12
S36	22	(print\$5 adj1 mode\$2 with default\$5 adj1 setting\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:13
S37	6	S36 and @ad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:13
S38	124	(print\$5 adj1 setting\$2 near5 default\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	.OR	ON	2006/03/16 19:13
<b>S39</b>	24	S38 and @ad<"20000224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 11:07